



भा.कृ.अ.प.-केन्द्रीय भेड़ एवं ऊन अनुसंधान संस्थान  
ICAR-Central Sheep & Wool Research Institute  
अविकानगर, तह0 मालपुरा, जिला-टोंक (राजस्थान) - 304501  
Avikanagar, Teh. Malpura, Dist.Tonk (Rajasthan) - 304501 India

Tel.No. : 01437-220177  
Fax No. 91-01437-220163



F.No. 1(717)SP/2018/2448

Dated 13.12.2018

M/s Radical Scientific Equipments Pvt. Ltd.  
9<sup>th</sup> Milostone, Ambala-Jagadhri Road,  
PO Khudda Kalan, Ambala Cantt - 133104  
info@radicalscientific.com

विषय:- Microscope with Photographic Attachment उपकरण की आपूर्ति करने बाबत।

संदर्भ:-आपकी बिड क्रमांक 1289490 दिनांक 28-08-2018

महोदय,

उपरोक्त विषय में लेख है कि संदर्भित ई-निविदा में दर्शायी गई निम्नलिखित दरों व तकनीकी विशिष्टताओं के अनुसार Microscope with Photographic Attachment क्रय करने हेतु सक्षम अधिकारी महोदय ने स्वीकृति प्रदान कर दी है, अतः निम्नलिखित नियम व शर्तों के आधार पर सारणी में दर्शाये अनुसार Microscope with Photographic Attachment उपकरण की आपूर्ति हेतु आदेश दिया जाता है:-

क्र.सं.	उपकरण का विवरण	मात्रा	दर	कुल राशि																								
1	Advance Research Microscope with Photographic Attachment Model : RXLr-5 (Code EX) "CE" Certified Detailed Specifications:	01	₹325500/-	₹325500/-																								
	<table border="1"> <thead> <tr> <th>Part Name</th> <th>Code</th> <th>Discription</th> </tr> </thead> <tbody> <tr> <td>Body</td> <td>RXR5CXMB</td> <td>Rugged, Aluminium single die cast, ergonomic design, touch point treated, Intensity controller, ON/OFF Switch, Rubber feet, slot for Ana/Pol</td> </tr> <tr> <td>Optical System</td> <td>RXR5RXiOS</td> <td>Infinite optical system, color corrected, Anti-fungal, Anti-bacterial Coated (Multi-layered hard coated), Color Coded Objectives, parfocal (45mm), parcentered Magnification range of 10X-1500X</td> </tr> <tr> <td>Vieqing Head</td> <td>RXR5RXTST C3-80</td> <td>Trinocular inclined at 30°, Sidentopf Head, rotatable through 360°, IPD from 48-76, Dioptre adjustment on both Eyepiece, Port for Camera attachment, 3 position splitting ratio 100:0, 20 (EP):80(camera), 100:0</td> </tr> <tr> <td>Focusing</td> <td>RXF2.5</td> <td>Co-axial, Tension Contrao, Upper limit Stopper, coarse adjustable distance 25mm with 14mm single rotation, High Sensitivity Focus Drive with 0.25 mm per revolution, Fine adjustment 2.5µm/Div</td> </tr> <tr> <td>Illumination</td> <td>RXR5RXL 5WL6</td> <td>LED 5W life 65000 hrs., Lumens equivalent 100W Halogen</td> </tr> <tr> <td>Epepiece</td> <td>RXR5RX EP1022</td> <td>Paired, High Eye point WF 10X, FOV-22mm, Multi-layered coated, High Quality, Good contrast, abrsion free, aplanatic, precentered, dioptre adjustment on both evepiece (±5mm) Customized Eye-piece of 10x with photo mask, <b>pointer and Micrometer</b></td> </tr> <tr> <td>Nosepiece</td> <td>RXR5RXEP-C RXR5RX-6N</td> <td>Inward tilted, Precise Sextuple revolving on multiple ball bearing</td> </tr> </tbody> </table>	Part Name	Code	Discription	Body	RXR5CXMB	Rugged, Aluminium single die cast, ergonomic design, touch point treated, Intensity controller, ON/OFF Switch, Rubber feet, slot for Ana/Pol	Optical System	RXR5RXiOS	Infinite optical system, color corrected, Anti-fungal, Anti-bacterial Coated (Multi-layered hard coated), Color Coded Objectives, parfocal (45mm), parcentered Magnification range of 10X-1500X	Vieqing Head	RXR5RXTST C3-80	Trinocular inclined at 30°, Sidentopf Head, rotatable through 360°, IPD from 48-76, Dioptre adjustment on both Eyepiece, Port for Camera attachment, 3 position splitting ratio 100:0, 20 (EP):80(camera), 100:0	Focusing	RXF2.5	Co-axial, Tension Contrao, Upper limit Stopper, coarse adjustable distance 25mm with 14mm single rotation, High Sensitivity Focus Drive with 0.25 mm per revolution, Fine adjustment 2.5µm/Div	Illumination	RXR5RXL 5WL6	LED 5W life 65000 hrs., Lumens equivalent 100W Halogen	Epepiece	RXR5RX EP1022	Paired, High Eye point WF 10X, FOV-22mm, Multi-layered coated, High Quality, Good contrast, abrsion free, aplanatic, precentered, dioptre adjustment on both evepiece (±5mm) Customized Eye-piece of 10x with photo mask, <b>pointer and Micrometer</b>	Nosepiece	RXR5RXEP-C RXR5RX-6N	Inward tilted, Precise Sextuple revolving on multiple ball bearing			
Part Name	Code	Discription																										
Body	RXR5CXMB	Rugged, Aluminium single die cast, ergonomic design, touch point treated, Intensity controller, ON/OFF Switch, Rubber feet, slot for Ana/Pol																										
Optical System	RXR5RXiOS	Infinite optical system, color corrected, Anti-fungal, Anti-bacterial Coated (Multi-layered hard coated), Color Coded Objectives, parfocal (45mm), parcentered Magnification range of 10X-1500X																										
Vieqing Head	RXR5RXTST C3-80	Trinocular inclined at 30°, Sidentopf Head, rotatable through 360°, IPD from 48-76, Dioptre adjustment on both Eyepiece, Port for Camera attachment, 3 position splitting ratio 100:0, 20 (EP):80(camera), 100:0																										
Focusing	RXF2.5	Co-axial, Tension Contrao, Upper limit Stopper, coarse adjustable distance 25mm with 14mm single rotation, High Sensitivity Focus Drive with 0.25 mm per revolution, Fine adjustment 2.5µm/Div																										
Illumination	RXR5RXL 5WL6	LED 5W life 65000 hrs., Lumens equivalent 100W Halogen																										
Epepiece	RXR5RX EP1022	Paired, High Eye point WF 10X, FOV-22mm, Multi-layered coated, High Quality, Good contrast, abrsion free, aplanatic, precentered, dioptre adjustment on both evepiece (±5mm) Customized Eye-piece of 10x with photo mask, <b>pointer and Micrometer</b>																										
Nosepiece	RXR5RXEP-C RXR5RX-6N	Inward tilted, Precise Sextuple revolving on multiple ball bearing																										

*(Signature)*  
13/12/18

Mechanical Stage	RXR5RXMS-C	Rectangular Right/Left hand low drive Control, Horizontal, 270° rotatable, Hard Ceramic Coating, Double Slide Holder Stage Size-168x187mm, X-Y Movement 55-80mm		
Condenser	RABC1	Abbe condenser N.A.0.8/0.12 swing out, for Brightfield, separate movement from focussing (Rack & Pinion), with iris diaphragm, with centre adjustable (1x-100x magnification)		
Power Supply	RSMP620	SMPS based, wide voltage range, 90V-240V, 50/60Hz		
Objectives	RXR5RX04i RXR5RX10i RXR5RX20i RXR5RX40i RXR5RX100i	4X, N.A.0.10, W.D.30mm, plan Achromatic, Infinite, unbreakable container for storage 10X, N.A.0.25, W.D.6.1mm, plan Achromatic, Infinite, unbreakable container for storage 20X, N.A.2.1, W.D.2.1mm, plan Achromatic, Infinite, unbreakable container for storage 40X, N.A.0.65, W.D.65mm, plan Achromatic, Infinite, unbreakable container for storage spring loaded 100X, N.A.1.25, W.D.0.18, plan Achromatic, Oil immered, Infinite, spring loaded, unbreakable container for storage		
Standard Accessories	RCC RVC RIO RAK RF5A MANUAL WARRANTY RBF RPC RIO100	Cleaning cloth Vinyl cover Immersion oil (10ml) Allen keys Fuses-2 no's Instruction manual Warranty card Blue Filter (frosted & Plain) Power Cord (country Specific) High Quality immersion oil 100 ml		
<p><b>(B) ProCAM indi TEC CMOS Camera with ProCAM Capture Software</b>  <b>Model : Procram C-10MP</b>  <b>(C) Image Analysis Software Medical Plus</b>  <b>(D) Computer System : Make Dell, i-5 Processor, 8GB RAM, Hard Drive-1000 GB, Media Drive 16x DVD+/- RW Drive, Colour Monitor-21" Flat LCD/TFT, Operating System Licensed Windows 7 and onward (Compatible with windows XP and Windows 2003)</b>  Warranty : Two year from the date of installation, commissioning and handling of the equipment</p>				
कुल एफ.ओ.आर. अविकानगर सभी करें एवं खर्चों सहित				<b>₹325500.00</b>

**Terms & Conditions:-**

1. DELIVERY: May be effected as early as possible within 45 days from the date of receive of this order. Any delay or inability to supply orders store may please be intimated immediately.
2. F.O.R.: for delivery upto CSWRI Avikanagar. No freight and insurance etc. will be paid extra.
3. PRICE: The above prices are inclusive of GST. No FORM "C or D" WILL BE ISSUED.
4. CONSIGNEE: The Director Central Sheep & Wool Research Institute, Avikanagar, Malpura Distt. Tonk (Rajasthan)
5. DESPATCH: Road Transport/Post parcel V.P.P. Freight prepaid by the consignor book the material/goods to Malpura.
6. PACKING: Packing list giving full particulars with quantity of the Items contained must be placed immediately below the cover of package. Our purchase order number should be marked in large letters indelibly on a prominent place on the packing case(s) as well as on packing list/slip.


*[Handwritten Signature]*

7. TRANSPORT RECEIPT: Transport Receipt to be forwarded to the consignee by Registered Post immediately after dispatch of ordered material otherwise the demurrage/warfare (if any) will deducted from the supplier's bill without making any reference.
8. BILL: Pre-receipted bill (in triplicate) duly supported by relevant original cash receipts for packing forwarding freight insurance customs excise duty etc. (if any) and payable by this institute may be sent to the consignee.
9. PAYMENT: Payment will be made within 30 days through E-payment after satisfactory supply & installation of Microscope with Photographic Attachment.
10. Liquidated Damage: If any time during the performance of contract, the supplier encounters conditions hindering timely delivery of the goods, the supplier shall promptly inform the purchaser in writing the fact of the delay and likely duration of the same. After receipt of supplier's communication, the purchaser shall decide as to whether to cancel the contract for the un-supplied portion after the existing delivery period, or to extend the delivery period suitably by issuing in amendment to the contract. If the supplier fails to deliver the goods and/ or perform the services within the contractual delivery period for reasons other than circumstances beyond supplier's control (which will be determined by the purchaser) and the purchaser extends the delivery period, the purchaser will also deduct from the contract price, as liquidated damages, a sum equivalent to 0.5% (half per cent) of the delivered price of the delayed goods or unperformed services for each week of delay or part thereof until actual delivery or performance. The maximum limit of such deduction will, however, be 10% (ten percent) of the contract price of the delayed goods or services).
11. Certificate to the following effect may also be recorded on the body of the bill.  
Certified that the goods on which GST has been charged have not been exempted under the CGST or SGST Act and/or the Rules made there under and the charges on account of GST on the goods are correct under the provisions of the relevant act or the Rules made there under. Certified further that we M/s \_\_\_\_\_ are registered as dealers in the state of \_\_\_\_\_ and our registered numbers for the purpose of GST are i) Central \_\_\_\_\_ (ii) State \_\_\_\_\_
12. This Institute reserves the right to reject the stores/suppliers in part or in full covered in this order at any stage prior to payment, if they are not according to the specification. Part supplies against this order will not be accepted unless otherwise agreed.
13. Acknowledgement receipt and confirmation of this order should be sent by return post.
14. In case of contact Item A certificate may be affix by the firm on the bill that rate charged are as per manufacture prices/list contract entered rates.

Note: Please send the following Bank details along with Bill for e-payment

Bank Account No.: ..... Bank's Name: ..... Branch Code No.: ..... SWIFT/IFSC Code No.: .....

Yours faithfully,

  
(Harshit Agarwal)  
Administrative Officer